

**IOR Energy PTY LTD**  
 ABN 60 010 504 444  
 PO Box 14 Bulimba  
 Brisbane QLD 4171 Australia  
 Telephone: (07) 3895 4444  
 Facsimile: (07) 3395 7902  
 Web: www.ior.com.au  
 Email: mail@ior.com.au



## PRODUCT SPECIFICATION

### ENERSOL HA

TEST	UNIT	TYPICAL	LIMIT	METHOD
Distillation Range				
IBP	°C	125		ASTM D86
5%*	°C		130 min	
95%*	°C		190 max	
FBP	°C	195		
Specific Gravity @ 15°C*		0.760	0.740 min 0.780 max	ASTM D1298
Colour	Saybolt	>26		ASTM D156
Flashpoint	°C		23 min	ASTM D93
Sulphur	mg/kg	<15		ASTM D4294
Copper Corrosion		1A		ASTM D130
Benzene Content	vol%	≤0.01		GC
Aromatics	vol%	<20		GC
Paraffins	vol%	>75		GC
Electrical Conductivity*	pS/m		200 min	ASTM D2624
Aniline Point	°C	56		ASTM D611

Properties marked with (\*) will be tested and verified with the Certificate of Analysis.

#### Dangerous Goods Details

UN Number	1268
Dangerous Good Class	3
Subsidiary Risk	Not applicable
Packing Group	III
Hazchem Code	3[Y]E